



Nitrile

**Long Cuff (Elbow Length) Powder Free
Nitrile Examination Gloves (400mm & 480mm)**

Kaltex Nitrile gloves with extra length provides an excellent barrier protection from cross contamination.

SAFETY FEATURES

- ▶ Extra long cuff (400 & 480 mm) covers the gown sleeves, and protects the users forearm against fluid contamination
- ▶ Latex free and Powder free Nitrile examination gloves
- ▶ The micro rough texture of glove surface gives good grip
- ▶ Ambidextrous for quick and easy donning
- ▶ Extra length protects against AIDS/HIV infections
- ▶ Manufactured in a clean environment to comply with EN 556 & ISO 13485 requirements
- ▶ Ideal for pharmaceutical use
- ▶ Beaded cuff for easy donning

STANDARDS

- ▶ ASTM D 6319-2010, EN 455 -1: 2000 & EN 455-2: 2015
- ▶ Certified to meet PPE Standards EN 374, EN 420 - Cat III
- ▶ CE Certified.

QUALITY CONTROL

- ▶ Factory Standard of AQL 1.5



Kanam
KANAM LATEX
INDUSTRIES PVT. LTD.

The trusted name the world over

Ooppoottil Buildings, K.K. Road,
Kottayam-686 001, Kerala, India
Tel: 0481-2560108, 2563513
Fax: 0481-2563614
E-mail: customercare@kanamlatex.com
kanamlatex@gmail.com

www.kanamlatex.com

POWDERFREE NON STERILE NITRILE EXAMINATION GLOVES

Product Information

TYPE

Powder Free Nitrile Examination Gloves.

PRIMARY MATERIAL

Nitrile.

DESIGN

Ambidextrous, Beaded cuff, Micro rough textured.

POWDER FREE RESIDUE

Powder Free: <2mg/glove

PHYSICAL DIMENSIONS

Size	Length (mm) Min	Palm Width (mm) min	Thickness (mm) Min		
			Cuff	Palm	Finger
6 ½	400	80 ± 10	-	0.05	0.05
7 ½		95 ± 10			
8 ½	480	110 ± 10			

PHYSICAL PROPERTIES

Characteristics	Before Ageing	After Ageing 70±2°C for 166±2hrs
Tensile Strength (Mpa) min.	14	14
Ultimate Elongation (%) min.	500	400
Force at break (N) Min.	6.0	6.0

PRE-SHIPMENT QUALITY INSPECTION

Sampling Procedure: ISO 2859 Part I

Sampling Plan: Single sampling, Normal Inspection

Characteristics	Inspection Level	AQL
Freedom from Holes	G-1	1.5
Visual attributes – Major Defects	G-1	1.5
Visual attributes – Minor Defects	G-1	2.5
Physical Dimension	S-2 / N=13	4.0
Physical Properties	S-2	4.0
Force at break	N=13	N/A

PACKAGING - 400 mm

Material	Quantity	Dimension (cm)	
		Sterile	Non-Sterile
Paper Wallet	One Pair	25(L) x 11(W)	N/A
Pouch	One Pair	32(L) x 15(W)	32(L) x 15 (W)
Inner Box	50 Pairs	32(L) x 15(W) x 23(H)	32(L)x15(W)x19.5(H)
Master Carton	250 Pairs	76(L) x 32.5(W) x 24(H)	77(L)x33(W)x21.5(H)

PACKAGING - 480 mm

Material	Quantity	Dimension (cm)	
		Sterile	Non-Sterile
Paper Wallet	One Pair	29(L) x 11(W)	N/A
Pouch	One Pair	36(L) x 15(W)	32(L) x 15 (W)
Inner Box	25/50 Pairs	36(L) x 15(W) x 11.5(H)	35(L)x15(W)x19.5(H)
Master Carton	100/250 Pairs	37(L) x 31 (W) x 24 (H)	77(L)x36(W)x21.5(H)

